

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Research Service
Entomology Research Branch

Postbox 85, Curacao, N. A.

November 1, 1954

NOV 4 1954

To: R. C. Bushland

From: A. H. Baumhover

Subject: Weekly report @ Curacao

EGG MASSES COLLECTED - NONE

STERILE MALES RELEASED - 68,000

SCREW-WORM CASES - NONE

MACELLARIA CASES -

- 1--goat bitten by dog
- 1--sheep with fouled wool
- 1--3 day-old calf, cause not definitely known,
however, infested area damp from calf lying
on wet ground.

cc: A. W. Lindquist
A. J. Graham
G. W. Eddy

A. H. Baumhover

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Research Service
Entomology Research Branch

Postbox 85, Curacao, N. A.

NOV 4 1954
November 1, 1954

To: R. C. Bushland

From: A. H. Baumhover

Subject: Weekly report of Curacao

EGG MASSES COLLECTED - NONE

STERILE MALES RELEASED - 68,000

SCREW-WORM CASES - NONE

MAGGOT CASES -

1--goat bitten by dog
1--sheep with fouled wool
1--3 day-old calf, cause not definitely known,
however, infested area damp from calf lying
on wet ground.

cc: A. W. Lindquist
A. J. Graham
G. W. Eddy

A. H. Baumhover

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Research Service
Entomology Research Branch

Postbox 85, Curacao, N. A.

NOV 12 1954

November 8, 1954

To: R. C. Bushland

From: A. H. Baumhover

Subject: Weekly report - Curacao

EGG MASSES COLLECTED - 1 sterile mass totaling 120
eggs, pen #6, November 4, 1954.

Sterile MALES RELEASED - 68,000

SCREW-WORM CASES - None

MACELLARIA CASES -

1--3 day old calf in perfect health
1--sheep with fouled wool

The egg mass collected this week was laid in the typical screw-worm pattern. One egg developed to the spine stage, but the larva was unable to emerge. No misshapen eggs were observed.

On November 5th constant observation of goat wounds was made from 9:15 a.m. until sunset at 6:00 p.m. at pen #6. Ten female screw-worm flies were collected after being allowed 5 to 10 minutes for feeding or oviposition. All of these flies lacked the robustness, size, and coloration typical of the natural female screw-worm and none were capable of oviposition. These observations were continued the following day from sunrise to sunset. Twenty-two females similar to those collected the previous day were observed and collected. None oviposited.

If no additional masses are collected it would seem unlikely that the mass collected November 4th had resulted from a recent infestation. I would be more inclined to believe that a fly 4 or 5 weeks old may have survived to lay, or that a released female had laid the egg mass.

cc: A. W. Lindquist
A. J. Graham
G. W. Eddy

A. H. Baumhover

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Research Service
Entomology Research Branch

Postbox 85, Curacao, N. A.

NOV 13 1954

November 8, 1954

To: R. C. Bushland

From: A. H. Bernhauer

Subject: Weekly report - Curacao

EGG MASSES COLLECTED - 1 sterile mass totaling 120
eggs, pen #6, November 4, 1954.

Sterile MALES RELEASED - 68,000

SCREW-WORM CASES - None

MACHILARIA CASES -

1--3 day old calf in perfect health
1--sheep with fouled wool

The egg mass collected this week was laid in the typical screw-worm
pattern. One egg developed to the spine stage, but the larva was
unable to emerge. No misshapen eggs were observed.

On November 5th constant observation of goat wounds was made from 9:15
a.m. until sunset at 6:00 p.m. at pen #6. Ten female screw-worm flies
were collected after being allowed 5 to 10 minutes for feeding or oviposition.
All of these flies lacked the robustness, size, and coloration
typical of the natural female screw-worm and none were capable of oviposition.
These observations were continued the following day from sunrise
to sunset. Twenty-two females similar to those collected the previous
day were observed and collected. None oviposited.

If no additional masses are collected it would seem unlikely that the
mass collected November 4th had resulted from a recent infestation. I
would be more inclined to believe that a fly 4 or 5 weeks old may have
survived to lay, or that a released female had laid the egg mass.

cc: A. W. Lindquist
A. J. Graham
G. W. Eddy

A. H. Bernhauer

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Research Service
Entomology Research Branch

NOV 18 1954

Postbox 85, Curacao

November 15, 1954

To: Dr. R. C. Bushland

From: A. H. Baumhover

Subject: Weekly report - Curacao

EGG MASSES COLLECTED - 1 sterile mass totaling
120 eggs, pen #4, November 11 (6 eggs developed
to spine stage but did not emerge)

STERILE MALES RELEASED - 82,415 (This increased
total was released to compensate for short ship-
received for release during the coming week.)

Screw-worm Cases - None

MACELLARIA CASES - None

cc: A. W. Lindquist
A. J. Graham
G. W. Eddy

A. H. Baumhover

NOV 18 1954

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Research Service
Entomology Research Branch

Postbox 85, Curacao

November 16, 1954

To: Dr. R. C. Bushland

From: A. H. Baumhauer

Subject: Weekly report - Curacao

EGG MASSES COLLECTED - 1 sterile mass totaling
120 eggs, pen #4, November 11 (6 eggs developed
to apine stage but did not emerge)

STERILE MALES RELEASED - 82,415 (This increased
total was released to compensate for short ship-
received for release during the coming week.)

Screw-worm Cases - None

MACEILLARIA CASES - None

A. H. Baumhauer

cc: A. W. Lindquist
A. J. Graham
G. W. Eddy

It is noted that the egg masses collected on 11 November 1954 were all sterile. The total number of eggs collected was 120, of which 6 had developed to the apine stage but did not emerge. The total number of sterile males released was 82,415. This total was increased to compensate for a short shipment received for release during the coming week.

A. H. Baumhauer

DATE

11/22/54

REFERENCE SLIP

REFERRED TO

Dr. Bushland

NOV 26 1954

- | | |
|--|---|
| ☐ Action. | ☐ Note and file. |
| ☐ Approval. | ☐ Per telephone call. |
| ☐ Attention. | ☐ Previous correspondence. |
| ☐ Comment. | ☐ Recommendation. |
| ☐ Consideration. | ☐ Record. |
| ☐ Copying. | ☐ Rush. |
| ☐ Correction. | ☐ Reply for signature of |
| ☐ Filing. | ----- |
| ☐ Initials. | ☐ See me. |
| ☐ Investigate and advise. | ☐ Signature. |
| ☐ Memorandum. | ☐ To be rewritten. |
| ☐ Note and forward. | ☐ For your information. |
| ☐ Note and return. | |

REMARKS: Reference is made to Dr. Lindquist's memo of October 13 to you regarding tabular data of the Curacao experiment. Since the material submitted for the III Quarterly report was similar to what Dr. Lindquist had worked up I did nothing further on it. Don't know if you have had time to prepare slides or not so will do so this week. Hope to get them to you by November 29. This may be duplication of effort, but anyway it will give an additional check on the figures.

Best regards,

P.S. Attached is a copy
of 1 cable just completed -

AL

(Name of sender)

STERILE SCREW-WORM MALES RELEASED AND FERTILE AND STERILE EGG MASSES
COLLECTED ON THE SOUTHERN HALF OF THE ISLAND OF CURACAO, N. A. 1954

No.	Week Ending	Sterile Males Released		Egg Masses Collected			
		Total Number	Average Per Sq.Mi. Per Week	Fer- tile	Ster- ile	Percent Sterile	Average Masses Per Pen
18	July 18	10,170	120	58	1	1.7	9.8
19	July 25	9,400	111	44	19	30.2	10.5
20	August 1	8,600	101	38	19	33.3	9.5
21	August 8	8,190	96	43	17	28.3	10.0
22	August 15	41,740	491	9	14	60.9	3.8
23	August 22	25,530	300	4	25	86.2	4.8
24	August 29	14,900	175	6	23	79.3	4.8
25	September 5	32,590	381	3	11	78.6	2.3
26	September 12	38,350	451	5	25	83.3	5.0
27	September 19	59,590	701	1	14	93.3	2.5
28	September 26	38,290	450	0	1	100.0	---
29	October 3	51,620	607	0	12	100.0	2.0
30	October 10	41,120	484	0	0	---	---
31	October 17	61,800	727	0	0	---	---
32	October 24	49,040	577	0	0	---	---
33	October 31	34,000	400	0	0	---	---
34	November 7	34,000	400	0	0	---	---
35	November 14	41,210	485	0	1	100.0	---
36	November 21	33,380	393	0	0	---	---

No.	Week Ending	Total Number	Average Per Sp. M. Per Week	Per-sterile	Ster-ile	Personn Sterile	Average Masses Per Pen
18	July 18	10,170	120	58	1	1.7	2.8
19	July 25	9,400	111	44	19	20.2	10.2
20	August 1	8,600	101	58	19	22.2	9.2
21	August 8	6,120	88	43	17	22.2	10.0
22	August 15	41,740	491	9	14	60.2	7.2
23	August 22	28,230	300	4	25	22.2	4.2
24	August 29	14,900	178	9	22	79.2	4.2
25	September 5	22,320	281	2	11	78.6	2.2
26	September 12	28,280	481	8	28	22.2	2.0
27	September 19	22,220	701	1	14	22.2	2.2
28	September 26	28,220	420	0	1	100.0	
29	October 3	21,020	607	0	12	100.0	2.0
30	October 10	41,120	484	0	0		
31	October 17	21,200	727	0	0		
32	October 24	42,040	577	0	0		
33	October 31	24,000	400	0	0		
34	November 7	24,000	400	0	0		
35	November 14	41,210	488	0	1	100.0	
36	November 21	22,280	282	0	0		

UNITED STATES DEPARTMENT OF AGRICULTURE
Agriculture Research Service
Entomology Research Branch

Postbox 85, Curacao, N. A.

47
NOV 26 1954

November 22, 1954

To: Dr. R. C. Bushland
From: A. H. Baumhover
Subject: Weekly report - Curacao

EGG MASSES COLLECTED - NONE

STERILE MALES RELEASED - 66,760

SCREW-WORM CASES - NONE

MACELLARIA CASES - NONE

Enclosed is a list of captions for photos sent November 12.

cc: A. W. Lindquist
A. J. Graham
G. W. Eddy

A. H. Baumhover

UNITED STATES DEPARTMENT OF AGRICULTURE
Agriculture Research Service
Entomology Research Branch

Postbox 85, Curacao, N. A.

November 22, 1954

To: Dr. R. C. Bushland

From: A. H. Baumhover

Subject: Weekly report - Curacao

HCG MASSES COLLECTED - NONE

STERILE MALES RELEASED - 62,760

SOREW-WORM CASES - NONE

MAGELLANIA CASES - NONE

Enclosed is a list of captions for photos sent November 18.

cc: A. W. Lindquist
A. J. Graham
G. W. Eddy

A. H. Baumhover